

CREEKSIDE AT LEISURE WORLD, A CONDOMINIUM
Maintenance Responsibilities

Exhibit B to the Bylaws

I	II	III	IV	V
ITEMS	GENERAL COMMON ELEMENTS UNDER ASSOCIATION RESPONSIBILITY	LIMITED COMMON ELEMENTS UNDER ASSOCIATION RESPONSIBILITY	UNIT COMPONENTS UNDER ASSOCIATION RESPONSIBILITY	CERTAIN OTHER COMPONENTS UNDER UNIT OWNER'S RESPONSIBILITY WITHOUT RESPECT TO OWNERSHIP OF THE COMPONENT
Plumbing & related systems & components thereof.	All maintenance, repair & replacement of portions of plumbing serving more than one unit. Water damage to common elements or units other than the one which is the primary source of the problem through negligence of the occupants of such units. All, in all regards.	If any, same as in Column II.	Only to the extent that a malfunction originates in a portion of the plumbing that serves more than one unit.	All portions within a unit including fixtures & appliances attached thereto. Water damage to a unit, when the primary source of such problem is through the negligence of the occupants of that unit.
Electrical & related systems & components thereof excluding appliances, fixtures & lights serving only one unit.	All, in all regards.	All, in all regards.	--	All, in all regards, for items serving only one unit.
Heating, ventilating & cooling systems & components thereof.	All, in all regards, serving more than one unit.	If any, same as in Column II	All, in all regards, at the unit owner's expense.	Maintenance, repairs and replacements to be performed by the Association at unit owner's expense.
Parking Spaces.	All surface parking spaces in all regards.	All indoor parking spaces in all regards.	--	Routine cleaning when indoor parking surface is defaced by lack of repairs to vehicle engine.
Storage Areas (if any).	All, in all regards except	--	--	Routine cleaning.

678

CREEKSIDE AT LEISURE WORLD, A CONDOMINIUM
Maintenance Responsibilities

Exhibit B to the Bylaws

I	II	III	IV	V
ITEMS	GENERAL COMMON ELEMENTS UNDER ASSOCIATION RESPONSIBILITY	LIMITED COMMON ELEMENTS UNDER ASSOCIATION RESPONSIBILITY	UNIT COMPONENTS UNDER ASSOCIATION RESPONSIBILITY	CERTAIN OTHER COMPONENTS UNDER UNIT OWNER'S RESPONSIBILITY WITHOUT RESPECT TO OWNERSHIP OF THE COMPONENT
Refuse collection system.	--	--	--	--
Grounds, including all paved areas and other improvements thereon lying outside the main walls of the building and all underground utility systems.	--	--	--	--
Building, exterior roof, exterior vertical walls, foundations.	--	--	--	--
Windows.	--	All, in all regards except routine cleaning.	--	Routine cleaning.
Doors, main entry to units.	--	--	All surfaces exposed to corridor including door panel, buck, trim & sill.	Interior of door panel interior trim. Hardware set including lock and door chime assembly and hinges/closures. Painting of any surfaces exposed to corridor when additional hardware as permitted by Covenants Committee or Board is removed.

000000
679

CREEKSIDE AT LEISURE WORLD, A CONDOMINIUM
Maintenance Responsibilities

Exhibit B to the Bylaws

I	II	III	IV	V
ITEMS	GENERAL COMMON ELEMENTS UNDER ASSOCIATION RESPONSIBILITY	LIMITED COMMON ELEMENTS UNDER ASSOCIATION RESPONSIBILITY	UNIT COMPONENTS UNDER ASSOCIATION RESPONSIBILITY	CERTAIN OTHER COMPONENTS UNDER UNIT OWNER'S RESPONSIBILITY WITHOUT RESPECT TO OWNERSHIP OF THE COMPONENT
Balcony and terrace doors.	--	--	In all regards except routine cleaning, latch mechanism and weather-stripping.	Routine cleaning, latch mechanism and weather- stripping.
Balconies	All which do not serve a Unit, in all regards.	In all regards except routine cleaning	--	Routine cleaning.
Terraces and Railings	--	In all regards except routine cleaning	--	Routine cleaning.
Balcony enclosures (if any).	--	--	--	All, in all regards.
Screens (balcony and terrace doors and windows).	--	--	--	All which serve the unit in all respects. Replacements to be of same color, grade and style.

32666

680

CREEKSIDE AT LEISURE WORLD, A CONDOMINIUM

NOTES

Exhibit B to the Bylaws

MAINTENANCE RESPONSIBILITIES:

This chart and the titles and headings used herein are not intended to describe or encompass all maintenance functions nor to delineate all respective responsibilities between the unit owners, severally, and the Association. The placement of responsibility under any specific column does not always accurately reflect the precise character and nature of ownership. The appropriate sections of the Declaration determine ownership. In many cases maintenance responsibility is allocated to the Unit Owners Association to ensure central maintenance responsibility, uniformity and quality of repair, and to protect community health and safety. Where such maintenance is required due to the negligent or wrongful set or omission of a unit owner (or such unit owner's family, tenants, employees, agents, visitors, guests or pets), the Association will perform the necessary maintenance at the sole expense of the unit owner.

Column I: Items. Items appearing in this column are illustrative and not exhaustive.

Column II: General Common Elements Under Association Responsibility. Responsibility for determining and providing for the maintenance, repair and replacement requirements of the general common elements and determining the costs thereof shall be primarily the responsibility of the Board of Directors and such designees to which it may delegate certain such responsibilities.

Column III: Limited Common Elements Under Association Responsibility. Responsibility for determining the maintenance, repair and replacement requirements of the limited common elements shall be a shared responsibility between the Board of Directors and the unit owner of a unit to which a specific limited common element is exclusively appurtenant; provided, however, that the Board shall have the final responsibility for determining the need for and accomplishing such maintenance, repair and replacement activities.

Column IV: Unit Components Under Association Responsibility. The items in this column are legally and by definition a part of a unit but are attached or directly connected to or associated with the general common elements and common expense items in such a way that a clear distinction between unit owner and Association responsibility cannot be made. Moreover, such items frequently involve matters of concern relative to the general health, safety and welfare of all of the occupants of the building. Thus, certain costs which appear to benefit a single unit owner but which affect other unit owners are declared a common expense, especially when the correct functioning of an activity or element is integral to or supportive of the legally defined common elements and common expenses. Heating, cooling and ventilating systems and components thereof are an exception due to the split system being used; the only practical method is to provide for central maintenance responsibility at the individual unit owner's expense.

Column V: Certain Other Components Under Unit Owner's Responsibility Without Respect to Ownership of the Component. The items in this column are not intended to be exclusive and all encompassing and do not affect responsibilities expressly provided for otherwise.

32666 681

Exhibit C
to the DeclarationCREEKSIDE AT LEISURE WORLD,
A CONDOMINIUM
PHASE I - 95 UNITS
COMMON ELEMENT INTEREST TABLE

Unit Type	Par Value (based upon approximate gross sq. ft. per unit, excluding balconies)	Common Element Interest and Votes Per Unit	Total Number of Units Per Type	Total Common Element Unit Interest and Votes Per Type
B	1107	.8272	10	8.2723
C	1100	.8220	5	4.1101
EE	1275	.9528	10	9.5277
G	1325	.9901	20	19.8027
H	1585	1.1844	5	5.9221
J	1565	1.1695	5	5.8474
K	1520	1.1359	5	5.6793
KK	1510	1.1284	5	5.6419
L	1775	1.3264	5	6.6320
M	1545	1.1545	5	5.7727
Q	1525	1.1396	20	22.7918
TOTAL			95	100.00

In Article 4, Section 4.6, of this Declaration, the Declarant has reserved the right to expand the Condominium in accordance with Section 11-120 of the Condominium Act. If the Condominium is expanded to include the additional units, then the Common Element Interest appurtenant to the units previously subjected to the condominium regime, as well as the Common Element Interest for the additional units which are being added to the condominium regime, will be computed as follows:

Step 1. Determine the total par value for all units. The par values are assigned by the Declarant for all units of a similar type and are not intended to reflect any unit's exact size or proportion compared with the other units. If additional unit types are added to the Condominium, they may be assigned a different par value, which par value will be utilized for each unit of a similar type notwithstanding its actual size. The total par values of all units in Phase I is set forth in the above table.

Step 2. Choose a particular unit for which the Common Element Interest is to be determined. Take the par value for that unit and divide it by the total par values for all units.

Using Phase I for purposes of this example, assume the Common Element Interest of Type EE unit. It would be determined by taking the par value of the Type EE unit and dividing this by the total par values for the entire Condominium thus:

$$\text{UNIT TYPE FF: } 1,275 \div 133,816 \text{ [total par values for all unit types within Phase I of the Condominium]} = .009528 \times 100 = .9528\%$$

This is the Common Element Interest for each Unit Type EE. The Common Element Interests for all units following any expansion of the Condominium will be computed using the same formula.

If other unit types are added to the Condominium and/or if the actual number of units of each type changes, the calculation described above will be utilized for determining the new Common Element Interests for each unit type. That is, the total par values for all units, including those existing in the Condominium as well as any new unit types in the Condominium, are added together and this number is used as the denominator in the equation described above, with the numerator being the par value of the unit whose Common Element Interest is being calculated. The Declarant reserves the right, in its sole discretion, to add new unit types and/or change the par value assigned to unit types, subject to the provision of the Declaration and the Condominium Act. Since the common element interests must equal exactly 100, the common element interests for some units may be rounded up or down slightly. Regardless of the number of type of units within the Condominium, each unit will have a vote in the Council of Unit Owners equal to its Common Element Interest.


Exhibit C
to the Declaration

LIST OF UNITS
(Phase I)

<u>B Unit</u>	<u>B Unit</u>	<u>C Unit</u>	<u>EE Unit</u>	<u>EE Unit</u>
103	117	104	109	112
203	217	204	209	212
303	317	304	309	312
403	417	404	409	412
503	517	504	509	512
<u>G Unit</u>	<u>G Unit</u>	<u>G Unit</u>	<u>G Unit</u>	<u>H Unit</u>
105	108	118	120	115
205	208	218	220	215
305	308	318	320	315
405	408	418	420	415
505	508	518	520	515
<u>J Unit</u>	<u>K Unit</u>	<u>KK Unit</u>	<u>L Unit</u>	<u>M Unit</u>
114	102	119	106	101
214	202	219	206	201
314	302	319	306	301
414	402	419	406	401
514	502	519	506	501
<u>Q Unit</u>	<u>Q Unit</u>	<u>Q Unit</u>	<u>Q Unit</u>	
107	110	111	116	
207	210	211	216	
307	310	311	316	
407	410	411	416	
507	510	511	516	

Exhibit D
to the Declaration

PHOTO-REDUCED
CONDOMINIUM PLATS
PHASE I




CURVE TABLE


NO.	RADIUS	BEARING	ARC	CHORD	BEARING
1	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
2	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
3	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
4	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
5	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
6	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
7	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
8	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
9	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"
10	100.00	S 89° 57' 10.00\"	100.00	100.00	N 0° 0' 0.00\"

LINE TABLE

NO.	BEARING	DIST.
1	S 17° 42' 30\" W	3.76'
2	S 72° 17' 30\" W	12.00'
3	N 15° 45' 30\" W	1.50'
4	S 72° 17' 30\" W	6.12'
5	S 17° 42' 30\" E	4.15'
6	S 72° 17' 30\" W	11.85'
7	S 17° 42' 30\" E	1.51'
8	S 72° 17' 30\" W	13.00'
9	N 46° 33' 33\" E	5.02'
10	N 38° 26' 53\" W	27.84'
11	S 22° 32' 20\" E	8.00'
12	S 67° 59' 32\" W	54.00'
13	S 45° 00' 00\" W	11.31'



INSPT
N.T.S.



SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS CONDOMINIUM PLAT IS CORRECT THAT IT IS A CONDOMINIUM SUBDIVISION OF PART OF PARCEL 60 AS DELINEATED ON A PLAT OF SUBDIVISION TITLED "PARCEL 60, ROSSMOOR LEISURE WORLD", RECORDED AS PLAT No. 25341 AMONG THE LAND RECORDS OF MONTGOMERY COUNTY, MARYLAND.

I ALSO CERTIFY THAT THIS PLAT HAS BEEN PREPARED IN ACCORDANCE WITH THE PROVISIONS AND REQUIREMENTS OF TITLE 11 OF THE REAL PROPERTY ARTICLE, SECTION 11-101, ET SEQ OF THE ANNOTATED CODE OF MARYLAND (2003 REPLACEMENT VOLUME AS AMENDED, AND THAT THE LOCATION AND DIMENSIONS OF ALL EXISTING IMPROVEMENTS HAVE BEEN CAREFULLY ESTABLISHED BY AN ACTUAL ON-THE-GROUND SURVEY.

I FURTHER CERTIFY THAT THE PLATS AND PLANS, TOGETHER WITH THE APPLICABLE WORDING OF THE DECLARATION, CREEKSIDE AT LEISURE WORLD, A CONDOMINIUM, IS A CORRECT REPRESENTATION OF PHASE I OF CREEKSIDE AT LEISURE WORLD, A CONDOMINIUM, AND THE IDENTIFICATION AND LOCATION OF EACH UNIT AND THE COMMON ELEMENTS AS CONSTRUCTED CAN BE DETERMINED FROM THEM.

THE TOTAL AREA INCLUDED IN THIS PHASE IS 5.0701 ACRES OR 221,204 SQUARE FEET OF LAND.

DATE: _____
 W. JOSEPH HINES
 PROFESSIONAL LAND SURVEYOR
 MARYLAND REGISTRATION No. 10097


**PHASE I
 CREEKSIDE AT LEISURE WORLD
 A CONDOMINIUM**

WHEATON (18th) ELECTION DISTRICT
 MONTGOMERY COUNTY, MARYLAND

GREENHORNE & O'MARA INC.
 20410 CENTURY BOULEVARD, SUITE 200
 GAITHERSBURG, MARYLAND 20874
 PHONE (301) 444-8323 FAX (301) 444-9101

JULY, 2006
 SHEET 1 OF 5

Scale: 1" = 100'




- NOTES:**
- PHASE I, WHICH CONSISTS OF ALL THE PROPERTY AND IMPROVEMENTS LOCATED WITHIN THE BOUNDARIES OF SUCH PHASE AS SHOWN HEREON, REPRESENTS THAT PORTION OF THE PROPERTY CURRENTLY BEING SUBMITTED TO THE RECORDS OF MONTGOMERY COUNTY, MARYLAND, AS A CONDOMINIUM IN ACCORDANCE WITH TITLE 11, REAL PROPERTY ARTICLE, ANNOTATED CODE OF MARYLAND (2003), AS AMENDED.
 - THE DECLARANT RESERVES THE RIGHT TO AMEND ANY PROPOSED PHASES OR ADDITIONAL PROPERTY IN A MANNER OTHER THAN AS SHOWN HEREON, INCLUDING BUT NOT LIMITED TO ALTERING THE NUMBER, BOUNDARIES, DESIGNATIONS AND SEQUENCE OF ADDITIONAL PHASES AND THE RIGHT TO MAKE OR MAKE ANY ADDITIONAL PROPERTY WITHIN THE CONDOMINIUM HEREIN.
 - THE IMPROVEMENTS WITHIN THE AREA DESIGNATED AS "AREA RESERVED FOR EXPANSION" ARE NOT COMPLETE, AND THE DECLARANT RESERVES THE RIGHT NOT TO COMPLETE SUCH IMPROVEMENTS.

INDICATES AREA RESERVED FOR EXPANSION IN ACCORDANCE WITH THE DECLARATION.

AREA TABULATION

CREEKSIDE PHASE I	221,203	SQ. FT.	OR	5.0701	ACRES
CREEKSIDE PHASE II	307,214	SQ. FT.	OR	7.0641	ACRES
TOTAL	528,417	SQ. FT.	OR	12.1442	ACRES



LONGHEAD
PARCEL 'C'
PLAT NO. 1454

W.F.F.
LONGHEAD CROSSING
LIMITED PARTNERSHIP
L. 652 F., 427

CREEKSIDE PHASE II

CREEKSIDE PHASE I
221,203 SQ. FT.
OR 5.0781 AC.

LONGHEAD
PARCEL 'D'
PLAT NO. 1450

30' W35C B/W
L. 3411 F., 610
PART 2

LONGHEAD
PARCEL 'D'
PLAT NO. 1450

SOUTH LEISURE WORLD BOULEVARD
PARCEL 1007
PLAT NO. 1008
(PRIVATE STREET)


PHASE I
CREEKSIDE AT LEISURE WORLD
A CONDOMINIUM
WHEATON (13th) ELECTION DISTRICT
MONTGOMERY COUNTY, MARYLAND

JULY, 2006
SHEET 2 OF 5




GREENHORNE & O'MARA INC.
2040 CENTURY BOULEVARD, SUITE 200
GERMANTOWN, MARYLAND 20874
PHONE (301) 444-3352 FAX (301) 444-8181

Scale: 1" = 40'
Recorded



CURVE TABLE

NO.	RADIUS	BETA	ARC	TANGENT	CHORD	BEARING
1	15.00'	15.00'	15.00'	15.00'	15.00'	N45° 59' 59" E
2	30.00'	30.00'	30.00'	30.00'	30.00'	N45° 59' 59" E
3	45.00'	45.00'	45.00'	45.00'	45.00'	N45° 59' 59" E
4	60.00'	60.00'	60.00'	60.00'	60.00'	N45° 59' 59" E
5	75.00'	75.00'	75.00'	75.00'	75.00'	N45° 59' 59" E
6	90.00'	90.00'	90.00'	90.00'	90.00'	N45° 59' 59" E
7	105.00'	105.00'	105.00'	105.00'	105.00'	N45° 59' 59" E
8	120.00'	120.00'	120.00'	120.00'	120.00'	N45° 59' 59" E
9	135.00'	135.00'	135.00'	135.00'	135.00'	N45° 59' 59" E
10	150.00'	150.00'	150.00'	150.00'	150.00'	N45° 59' 59" E




INSET
N. 1:50'

LINE TABLE

1	5	17° 42' 30" E	3.76'
2	5	72° 17' 30" W	12.08'
3	N	17° 42' 30" W	1.51'
4	N	62° 42' 30" W	2.59'
5	S	17° 17' 30" W	6.15'
6	S	17° 42' 30" E	1.51'
7	S	72° 17' 30" W	11.85'
8	N	10° 53' 59" W	12.89'
9	N	46° 33' 33" E	13.00'
10	S	17° 17' 30" W	27.94'
11	S	67° 27' 32" W	27.94'
12	S	22° 32' 20" E	0.00'
13	N	69° 59' 35" W	54.88'
14	N	69° 59' 35" W	15.10'
15	S	45° 00' 00" W	17.31'



ROSSWOOD LEISURE WORLD
PARCEL 'K'
PLAT NO. 1078



1ST FLOOR THRU FIFTH FLOOR

NOTES:

1. ALL INTERIOR UNIT DIMENSIONS SHOWN ARE FROM THE BACK SURFACE OF THE PLASTERBOARD OF ALL WALLS BOUNDING THE UNIT AND THE AREA OF EACH UNIT IS COMPUTED ACCORDINGLY. COMMON ELEMENTS, TERRACES AND BALCONIES ARE BASED ON ACQUIRED DIMENSIONS WITH A TOLERANCE OF +/- 0.2 FEET.
2. THE LOWER BOUNDARY OF EACH UNIT IS THE HORIZONTAL PLANE OF THE TOP SURFACE OF THE UNDEGRADED CONCRETE FLOOR SLAB. THE UPPER BOUNDARY OF EACH UNIT IS THE HORIZONTAL PLANE OF THE TOP SURFACE OF THE GYPSONUM BOARD OR GYPSUM BOARD CEILING EXCEPT WHERE THERE IS A DROPPED CEILING IN WHICH LOCATIONS OF THE UPPER BOUNDARY SHALL BE THE HORIZONTAL PLANE WHICH INCLUDES THE TOP SIDE OF THE PLASTERBOARD OF THE DROPPED CEILING.
3. THE BALCONY CONFIGURATIONS SHOWN FOR EACH UNIT ARE TYPICAL FOR UNITS ON FLOORS ONE THROUGH FIVE UNLESS OTHERWISE NOTED.
4. "UNIT" SHALL MEAN A THREE-DIMENSIONAL SPACE AS DEFINED IN THE DECLARATION. "CREEKSIDE AT LEISURE WORLD," A CONDOMINIUM (THE "DECLARATION"), EACH UNIT AS SHOWN HEREON IS DESIGNATED NUMERICALLY. A TYPICAL EXAMPLE IS: "CONDOMINIUM UNIT 201-112".
5. IN ACCORDANCE WITH THE DECLARATION, MECHANICAL EQUIPMENT SERVING INDIVIDUAL CONDOMINIUM UNITS ARE PART OF SUCH UNITS. MECHANICAL EQUIPMENT SERVING GENERAL BUILDING FUNCTIONS ARE PART OF THE GENERAL COMMON ELEMENTS.
6. UNIT BOUNDARIES ARE SHOWN THUS: — INTERIOR UNIT WALLS ARE NOT SHOWN.
7. THIS UNIT GROUP IS A 5 STORY STRUCTURE AND CONTAINS 95 UNITS.
8. G.C.C.F. - GENERAL COMMON ELEMENTS WHICH SHALL INCLUDE THOSE AREAS DESIGNATED AS G.C.C.F. AS WELL AS ALL OF THE PROPERTY WITHIN THIS PHASE EXCEPT THE CONDOMINIUM UNITS THEMSELVES AND THE LIMITED COMMON ELEMENTS.
9. EACH BALCONY AS SHOWN ON THE PLAN IS PART OF THE ADJACENT UNIT. HOWEVER, PURSUANT TO SECTION 2.1(d) OF THE DECLARATION, THE SQUARE FOOTAGE OF THE BALCONIES IS NOT INCLUDED IN THE CALCULATION OF THE COMMON ELEMENT INTEREST FOR EACH UNIT.

PHASE I
CREEKSIDE AT LEISURE WORLD
 A CONDOMINIUM
 WHEATON (18th) ELECTION DISTRICT
 MONTGOMERY COUNTY, MARYLAND

GREENHORNE & O'MARA INC.
 7040 CENTURY BOULEVARD, SUITE 200
 GERMANTOWN, MARYLAND 20874
 PHONE (301) 444-8388 FAX (301) 444-8181

JULY, 2006
 SHEET 3 OF 5
 Scale: 1" = 20'
 Recorded
 Plat No.




**PHASE I
CREEKSIDE AT LEISURE WORLD**

A CONDOMINIUM
WHEATON (18th) ELECTION DISTRICT
MONTGOMERY COUNTY, MARYLAND



GREENHORNE & OMARA INC.
ENGINEERS-PLANNERS-SURVEYORS
2110 CROFTBY BOULEVARD, SUITE 200
PHONE (301) 444-3302 FAX (301) 444-0181


Scale: 1" = 30'



- LEGEND**
- L.C.E. - LIMITED COMMON ELEMENT
 - G.C.E. - GENERAL COMMON ELEMENT
 - R.C.E. - RESERVED COMMON ELEMENT
 - 2001-P-1 - VEHICLE PARKING SPACE

NOTES:

1. ALL VEHICULAR PARKING SPACES DESIGNATED AS L.C.E. HEREON ARE LIMITED COMMON ELEMENTS APPURTENANT TO THE UNITS SPECIFIED IN THE DECLARATION.
2. L.C.E. - LIMITED COMMON ELEMENTS INCLUDE THOSE AREAS DESIGNATED HEREON AND/OR IN THE DECLARATION AS LIMITED COMMON ELEMENTS APPURTENANT TO THE UNITS DESIGNATED AS L.C.E. AS WELL AS ALL OF THE PROPERTY WITHIN PHASE I, GREENSIDE AT LEISURE WORLD, A CONDOMINIUM COMMUNITY UNITS THEMSELVES AND THE LIMITED COMMON ELEMENTS.
3. G.C.E. - GENERAL COMMON ELEMENTS INCLUDE THOSE AREAS DESIGNATED AS G.C.E. AS WELL AS ALL OF THE PROPERTY WITHIN PHASE I, GREENSIDE AT LEISURE WORLD, A CONDOMINIUM COMMUNITY UNITS THEMSELVES AND THE LIMITED COMMON ELEMENTS.
4. R.C.E. - RESERVED COMMON ELEMENTS INCLUDE THOSE AREAS DESIGNATED HEREON AND/OR IN THE DECLARATION, THE DECLARATION AND THE BOARD OF DIRECTORS HAS THE POWER, IN THEIR DISCRETION AND SUBJECT TO THE APPROVAL OF THE BOARD OF DIRECTORS, TO DESIGNATE R.C.E. TO THE ASSOCIATION OR TO ANY UNIT-OWNERS PURSUANT TO THE DECLARATION.
5. INDICATES AREA RESERVED FOR EXAMINATION IN ACCORDANCE WITH THE DECLARATION.




GARAGE LEVEL STORAGE AND GARAGE PLAN

PLUMBING COND. PNL	ROOF	516.52
COND. UNIT	MAIN ROOF	504.82
COND. UNIT	5TH FLOOR	495.04
COND. UNIT	4TH FLOOR	485.40
COND. UNIT	3RD FLOOR	475.72
COND. UNIT	2ND FLOOR	466.07
COND. UNIT	1ST FLOOR	456.40
ELEVATOR LOBBY	LOBBY LEVEL	445.66
STORAGE PNL		

ELEVATIONS

- NOTES:
- 1) THE FLOOR AND CEILING ELEVATIONS OF THE UNITS ARE SHOWN BY FLOOR AND APPLY TO EACH UNIT ON THAT PARTICULAR FLOOR. THE FLOOR ELEVATIONS CORRELATE WITH THE LOWER UNIT BOUNDARIES, AS INDICATED IN NOTE 1 ON SHEET 3 OF 6, AND THE CEILING ELEVATIONS CORRELATE WITH THE UPPER UNIT BOUNDARIES, AS INDICATED IN NOTE 1 ON SHEET 3 OF 6 EXCEPT IN THE CASE OF DROPPED CEILINGS. ELEVATIONS SHOWN HEREIN ARE BASED ON MEASURED ELEVATIONS WITH A TOLERANCE OF ±-0.2'
 - 2) FLOOR AND CEILING ELEVATIONS ARE FROM FIELD MEASUREMENTS IN THE VERTICAL CURVE OF THE WASHINGTON SUBURBAN SANITARY COMMISSION.
 - 3) INDICATES ALSO REFERRED TO COMPARISON IN ACCORDANCE WITH THE DECLARATION FOR PHASE I, CREEKSIDE AT LEISURE WORLD, A CONDOMINIUM.



ROOF PLAN
Scale: 1" = 60'

PHASE I CREEKSIDE AT LEISURE WORLD A CONDOMINIUM WHEATON (18th) ELECTION DISTRICT MONTGOMERY COUNTY, MARYLAND


JULY 2006
SHEET 5 OF 5

Scale:
Comp. - Drafting
MNB
File No.
R-954.P



GREENHORNE & O'MARA INC.
10000 GREENHORN DRIVE
GROVEVILLE, MARYLAND 20874
PHONE (301) 444-8387 FAX (301) 444-8181

Scale: 1" = 50'




Plot No.

Exhibit E
to the Declaration

LIMITED COMMON ELEMENT
PARKING SPACE ASSIGNMENTS
PHASE I

Automobile Parking Space Number	Appurtenant to Unit Number	Automobile Parking Space Number	Appurtenant to Unit Number
2901 P-1	2901-408	2901 P-33	2901-510
2901 P-2	2901-215	2901 P-34	2901-108
2901 P-3	2901-102	2901 P-35	2901-212
2901 P-4	2901-402	2901 P-36	2901-509
2901 P-5	2901-119	2901 P-37	2901-101
2901 P-6	2901-512	2901 P-38	2901-211
2901 P-7	2901-306	2901 P-39	2901-103
2901 P-8	2901-217	2901 P-40	2901-206
2901 P-9	2901-416	2901 P-41	2901-214
2901 P-10	2901-207	2901 P-42	2901-314
2901 P-11	2901-315	2901 P-43	2901-508
2901 P-12	2901-310	2901 P-44	2901-301
2901 P-13	2901-307	2901 P-45	2901-209
2901 P-14	2901-308	2901 P-46	2901-116
2901 P-15	2901-120	2901 P-47	2901-205
2901 P-16	2901-319	2901 P-48	2901-414
2901 P-17	2901-115	2901 P-49	2901-415
2901 P-18	2901-110	2901 P-50	2901-201
2901 P-19	2901-502	2901 P-51	2901-216
2901 P-20	2901-506	2901 P-52	2901-501
2901 P-21	2901-518	2901 P-53	2901-418
2901 P-22	2901-407	2901 P-54	2901-318
2901 P-23	2901-406	2901 P-55	2901-117
2901 P-24	2901-210	2901 P-56	2901-419
2901 P-25	2901-410	2901 P-57	2901-412
2901 P-26	2901-507	2901 P-58	2901-218
2901 P-27	2901-309	2901 P-59	2901-519
2901 P-28	2901-511	2901 P-60	2901-107
2901 P-29	2901-401	2901 P-61	2901-411
2901 P-30	2901-311	2901 P-62	2901-316
2901 P-31	2901-106	2901 P-63	2901-303
2901 P-32	2901-515		


NOTES:



PROJECT NAME

**CREEKSIDE
LEISURE WORLD**

16126 SPINO, HORTHOUSHEM COUNTY, GEORGIA



SECTION

ARCHITECT

HLS ARCHITECTS, P.C.
1901 RESEARCH BLVD., SUITE 110
ROCKVILLE, MD 20850

(301)545-0032

DRAWING TITLE
**SOUTH BUILDING
ROOF PLAN
PART 1**

SCALE	SHEET NO.	TOTAL SHEETS	DATE

A-3

EXHIBIT E

NOTES:

PROJECT NAME

CREEKSIDE
LEISURE WORLD

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001

14141351-107-000001-0001


14141351-107-000001-0001

ARCHITECT HLS ARCHITECTS, P.C. 1901 RESEARCH BLDG. SUITE 110 ROCKVILLE, MD 20850 (301)345-0032	DATE	ISSUE	NO.	REVISION
	SCALE	CHECKED BY	DRAWN BY	DATE
	APPROVED BY	CHECKED BY	DRAWN BY	DATE
	APPROVED BY	CHECKED BY	DRAWN BY	DATE

DRAWING TITLE
PART 2
ROOF PLAN
PART 2

DATE	ISSUE	NO.	REVISION
SCALE	CHECKED BY	DRAWN BY	DATE
APPROVED BY	CHECKED BY	DRAWN BY	DATE
APPROVED BY	CHECKED BY	DRAWN BY	DATE

EXHIBIT E



COMMON ELEMENTS
ON THE MAIN ROOF THERE IS
MECHANICAL AND ELECTRICAL
EQUIPMENT MOUNTED ON CONCRETE
PADS SERVING INDIVIDUAL UNITS AND
COMMON ELEMENTS


ELEVATOR
OVER RIDE

PLUMBING
EQUIPMENT
ROOM

MATCH LINE

MATCH


NOTES:



PROJECT NAME


CREEKSIDE LEISURE WORLD

SEVILLE SPRING, MONTGOMERY COUNTY, MARYLAND



NO.	DESCRIPTION
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	

ARCHITECT
HLS ARCHITECTS, P.C.
1901 RESEARCH BLVD., SUITE 110
ROCKVILLE, MD 20850 (301)945-0032



DRAWING TITLE
NORTH
TYPICAL FLOOR PLAN
PART 1

SCALE	DATE	BY	CHECKED	IN CHARGE	PROJECT NO.	SHEET NO.
						A-5

EXHIBIT E

NOTES:

PROJECT NAME

CREEKSIDE
LEISURE WORLD

SILVER SPRING, MONTGOMERY COUNTY, MARYLAND

KEY PLAN

NORTH SOUTH

REVISION

ARCHITECT

HLS ARCHITECTS, P.C.

1901 RESEARCH BLDG., SUITE 110

ROCKVILLE, MD 20850

(301)546-0032

SCALE

0 5 10 15 20 25 30 FT.

DRAWING TITLE

NORTH

TYPICAL FLOOR PLAN

PART 2

DATE

REVISION

NO. OF SHEETS

TOTAL SHEETS

DATE

BY

CHECKED

DATE

BY

CHECKED

DATE

BY

CHECKED

DATE

BY

CHECKED

DATE

BY

CHECKED

DATE

BY

CHECKED

DATE

BY

CHECKED

DATE

BY

CHECKED

DATE

BY

CHECKED

EXHIBIT E

MATCH LINE

MATCH LINE

BALCONY

TIER 1
UNIT TYPE M
201
301
401
501

FRASH ROOM

ELEVATORS

CORRIDOR

BALCONY

TIER 20
UNIT TYPE G
220
320
420
520

BALCONY

TIER 19
UNIT TYPE KK
219
319
419
519

CORRIDOR

TIER 12
UNIT TYPE EE
212
312
412
512

BALCONY

TIER 11
UNIT TYPE Q
211
311
411
511

BALCONY

BALCONY

TIER 18
UNIT TYPE G
218
318
418
518

BALCONY

TIER 17
UNIT TYPE B
217
317
417
517

CORRIDOR

STAIR

BALCONY

TIER 14
UNIT TYPE J
214
314
414
514

BALCONY

TIER 15
UNIT TYPE H
215
315
415
515

BALCONY

TIER 16
UNIT TYPE Q
216
316
416
516


NOTES

PROJECT NAME

**CREEKSIDE
LEISURE WORLD**

SILVER SPRING, MONTGOMERY COUNTY, MARYLAND

KEY PLAN



NO.	DATE	REVISION

ARCHITECT

HLS ARCHITECTS, P.C.
1801 RESEARCH BLVD., SUITE 110
ROCKVILLE, MD 20850

(301)344-0032



STANDARD TITLE
SOUTH TYPICAL FLOOR PLAN
 PART 1

DATE	NO.	DESCRIPTION

SHEET NO. **A-7**




EXHIBIT E

NOTICE





EXHIBIT E

PROJECT NAME

CREKESIDE
LEISURE WORLD

81119, 81930, 81933, 81934, 81935, 81936, 81937, 81938, 81939, 81940, 81941, 81942, 81943, 81944, 81945, 81946, 81947, 81948, 81949, 81950, 81951, 81952, 81953, 81954, 81955, 81956, 81957, 81958, 81959, 81960, 81961, 81962, 81963, 81964, 81965, 81966, 81967, 81968, 81969, 81970, 81971, 81972, 81973, 81974, 81975, 81976, 81977, 81978, 81979, 81980, 81981, 81982, 81983, 81984, 81985, 81986, 81987, 81988, 81989, 81990, 81991, 81992, 81993, 81994, 81995, 81996, 81997, 81998, 81999, 82000



ARCHITECT

HLS ARCHITECTS, P.C.
1801 RESEARCH BLVD, SUITE 110
ROCKVILLE, MD 20860 (301)345-0032

DATE	BY	APP'D

DRAWING TITLE

SOUTH FLOOR PLAN
TYPICAL FLOOR PLAN
PART 2

SCALE	DATE	BY	APP'D

SHEET NO.		SHEET NO.	
A-8		A-8	

NOTES:

1. SHEETS 18 - 21 SHOW DIMENSIONS OF UNITS.
2. UNITS COMMON ELEMENTS ADMINISTERED AS LLC.
3. THIS SHEET REPRESENTS THE FIRST FLOOR PLAN.
4. WALL THICKNESSES ON THIS SHEET ARE TYPICAL FOR ALL FLOORS.
5. TYPICAL WALL THICKNESSES ARE AS FOLLOWS-
 - A. EXTERIOR WALLS - 13 1/2"
 - B. DOOR/SW WALL BETWEEN UNITS - 4 1/2"
 - C. WALL BETWEEN UNIT AND CORRIDOR - 4"
6. TYPICAL CORRIDOR WIDTH IS 8'-0"

PROJECT NAME
CREEKSIDE LEISURE WORLD

36102 CREEKSIDE, WASHINGTON COUNTY, MARYLAND
 NEW PLAN
 NORTH SOUTH
 REVISION

ARCHITECT
HLS ARCHITECTS, P.C.
 1901 RESEARCH BLVD., SUITE 110
 ROCKVILLE, MD 20850 (301)346-0032

0 4 8 12 16 20 24 FT.

DRAWING TITLE
PLANS SHOWING LOCATION OF UNITS - FIRST FLOOR NORTH BLDG PART 1

DATE	NO.	DESCRIPTION

SCALE: 1" = 10'-0"





EXHIBIT E

- NOTES
1. SHEETS 18 - 21 SHOW DIMENSIONS OF UNITS.
 2. UNITS COMMON ELEMENTS INDICATED AS L.C.C.
 3. THIS SHEET REPRESENTS THE FIRST FLOOR PLAN FOR ALL FLOORS.
 4. WALL THICKNESSES ON THIS SHEET ARE TYPICAL.
 5. TYPICAL WALL THICKNESSES ARE AS FOLLOWS-
 - A. EXTERIOR WALLS - 13 1/2"
 - B. OUTSIDE WALL BETWEEN UNITS - 4 1/2"
 - C. WALL BETWEEN UNIT AND CORRIDOR - 4"
 6. TYPICAL CORRIDOR WIDTH IS 8'-0"

PROJECT NAME
**CREEKSIDE
 LEISURE WORLD**

SEALER SPENDING AUTHORITY COUNTY, MARYLAND
 KEY PLAN
 NORTH SOUTH
 ARCHITECT
 HLS ARCHITECTS, P.C.
 1901 RESEARCH BLVD., SUITE 110
 ROCKVILLE, MD 20850 (301)745-0032



DRAWING TITLE
**PLANS SHOWING LOCATION
 OF UNITS - FIRST FLOOR
 NORTH BLDG PART 2**

DATE	SCALE
PROJECT NO.	SHEET NO.
DESIGNED BY	DATE
CHECKED BY	DATE
IN CHARGE	DATE
BY	DATE
DATE	DATE

A-10




EXHIBIT E

NOTES:

1. SHEETS 18 - 21 SHOW DIMENSIONS OF UNITS.
2. DASHED COMMON ELEMENTS IDENTIFIED AS L.C.C.
3. THIS SHEET REPRESENTS THE FIRST FLOOR PLAN.
A. WALL THICKNESS ON THIS SHEET ARE TYPICAL FOR ALL FLOORS.
4. TYPICAL WALL THICKNESSES ARE AS FOLLOWS:-
A. EXTERIOR WALLS - 13 1/2"
B. WALL BETWEEN UNIT AND CORRIDOR - 8"
C. WALL BETWEEN UNIT AND CORRIDOR - 6"
D. TYPICAL CORRIDOR WIDTH IS 6'-0"

PROJECT NAME: CREKESIDE LEISURE WORLD

ARCHITECT: HLS ARCHITECTS, P.C.
1801 RESEARCH BLVD., SUITE 110
ROCKWELL, MD 20850 (301)544-0032


KEY PLAN: [Diagram showing site location with 'NORTH' and 'SOUTH' directions]


ARCHITECT'S SEAL: [Professional Seal]

DRAWING TITLE: PLAN SHOWING LOCATION OF UNITS - FIRST FLOOR SOUTH BLDG PART 1

SCALE: 1" = 8'-0"

DATE: A-11





NOTES:

1. SHEETS 18 - 31 SHOW DIMENSIONS OF UNITS.
2. LIMITED COMMON ELEMENTS ABBREVIATED AS L.C.E.
3. THIS SHEET REPRESENTS THE FIRST FLOOR PLAN.
4. WALL THICKNESSES ON THIS SHEET ARE TYPICAL FOR ALL FLOORS.
5. TYPICAL WALL THICKNESSES ARE AS FOLLOWS:-
 - A. EXTERIOR WALLS - 13 1/2"
 - B. CORRIDOR WALL BETWEEN UNITS - 4 1/2"
 - C. WALL BETWEEN UNIT AND CORRIDOR - 4"
 - D. TYPICAL CORRIDOR WIDTH IS 8'-0"

PROJECT NAME: **CREEKSIDE LEISURE WORLD**

ARCHITECT: **HLS ARCHITECTS, P.C.**
 1001 RECEPTION BLVD., SUITE 110
 ROCKVILLE, MD 20850 (301)944-0032

DRAWING TITLE: **PLAN SHOWING LOCATION OF UNITS - FIRST FLOOR OF SOUTH BLDG PART 2**

SCALE: _____

DATE: _____

BY: _____

CHECKED BY: _____

APPROVED BY: _____

PROJECT NO. _____

SHEET NO. **A-12**

TOTAL SHEETS _____

PAGE NO. _____

EXHIBIT E

NOTES:

1. SHEETS 10 - 21 SHOW DIMENSIONS OF UNITS.
2. UNITED COMMON ELEMENTS ARE INDICATED AS L.C.E.
3. THIS SHEET REPRESENTS THE FIRST FLOOR PLAN.
4. WALL THICKNESSES ON THIS SHEET ARE TYPICAL FOR ALL FLOORS.
5. TYPICAL WALL THICKNESSES ARE AS FOLLOWS:
 - A. EXTERIOR WALLS - 13 1/2" CMU
 - B. WALL BETWEEN UNIT AND CORRIDOR - 4 1/2"
 - C. WALL BETWEEN UNIT AND CORRIDOR - 4"
6. TYPICAL CORRIDOR WIDTH IS 5'-0"

PROJECT NAME
**CREEKSIDE
 LEISURE WORLD**

ARCHITECT
HLS ARCHITECTS, P.C.
 1901 RESEARCH BLVD., SUITE 110
 ROCKVILLE, MD 20850 (301)546-0032

DRAWING TITLE
**NORTH BUILDING
 LOBBY LEVEL PLAN
 PART 1**

DATE: 10/20/01
 DRAWN BY: J.P.
 CHECKED BY: J.P.
 SCALE: 1/8" = 1'-0"
 SHEET NO.: A-13

KEY PLAN
 SILVER SPRING, MONTGOMERY COUNTY, MARYLAND






EXHIBIT E



- NOTES:
1. SHEETS 18 - 21 SHOW DIMENSIONS OF UNITS.
 2. LIMITED COMMON ELEMENTS ARE SHOWN AS L.C.E.
 3. THIS SHEET REPRESENTS THE FIRST FLOOR PLAN.
 4. WALL THICKNESSES ON THIS SHEET ARE TYPICAL FOR ALL FLOORS.
 5. TYPICAL WALL THICKNESSES ARE AS FOLLOWS-
 - A. EXTERIOR WALLS - 13 1/2"
 - B. DOORS AND WALL BETWEEN UNITS - 4 1/2"
 - C. WALL BETWEEN UNIT AND CORRIDOR - 4"
 6. TYPICAL CORRIDOR WIDTH IS 5'-0"

PROJECT NAME
**CREKESIDE
 LEISURE WORLD**

ARCHITECT
HLS ARCHITECTS, P.C.
 115 FREDERICK STREET, SUITE 110
 ROCKVILLE, MD 20850 (301)340-0032

DRAWING TITLE
**NORTH BUILDING
 LOBBY LEVEL PLAN
 PART 2**

DATE: _____
 SCALE: _____
 SHEET NO.: _____
 TOTAL SHEETS: _____
 A-14

EXHIBIT E


NOTES

1. SHEETS 10 - 21 SHOW DIMENSIONS OF UNITS.
2. LIMITED COMMON ELEMENTS ABBREVIATED AS L.C.E.
3. THIS SHEET REPRESENTS THE FIRST FLOOR PLAN.
4. WALL THICKNESSES ON THIS SHEET ARE TYPICAL FOR WALL BLOCKS.
5. TYPICAL WALL THICKNESSES ARE AS FOLLOWS:-
 - A. EXTERIOR WALLS - 13 1/2"
 - B. INTERIOR WALLS - 8"
 - C. WALL BETWEEN UNIT AND CORRIDOR - 4"
6. TYPICAL CORRIDOR WIDTH IS 5'-0"

PROJECT NAME

**CREEKSIDE
LEISURE WORLD**

3540 BELLEVILLE ROAD, FORT MYERS, FLORIDA 33901



RESIDENT

ARCHITECT

HLS ARCHITECTS, P.C.
1901 RESEARCH BLVD., SUITE 110
ROCKVILLE, MD 20850

DRAWING TITLE
**SOUTH BUILDING
LOBBY LEVEL PLAN
PART 2**

NO.	DATE	SCALE	SHEET NO.
1			A-16




EXHIBIT E


NOTES:

1. FLOOR AND CEILING ELEVATIONS ARE RELATED TO THE U.S.C. AND O.S. SEA LEVEL.
2. ELEVATIONS SHOWN ARE THE ELEVATION OF THE SLAB ON THAT FLOOR.
3. A - TOP OF SLAB.
4. B - BOTTOM OF SLAB.

PROJECT NAME

CREKESIDE LEISURE WORLD

IN THE SPERS MCDONOUGH COUNTY, MARYLAND



REVISION

ARCHITECT

HLS ARCHITECTS, P.C.
1901 RESEARCH BLVD., SUITE 110
ROCKVILLE, MD 20850



DRAWING TITLE
**SOUTH BUILDING
BUILDING SECTION**

DATE	REVISION	SCALE	SHEET NO.
			A-17A
PROJECT NO.	DRAWN BY	CHECKED BY	APPROVED BY






EXHIBIT E


NOTES:



UNIT TYPE KK
 TIER 19 AS SHOWN
 TIER 38 REVERSED



UNIT TYPE K
 TIER 2 AS SHOWN
 TIER 22 REVERSED



UNIT TYPE EE
 TIERS 9 & 32AS SHOWN
 TIERS 12 & 29 REVERSED

PROJECT NAME
**CREEKSIDE
 LEISURE WORLD**

212 VESPER DRIVE, MONTGOMERY COUNTY, MARYLAND
 157 PLAN

LOCATION
 NORTH SOUTH



REVISIONS

NO.	DATE	DESCRIPTION

ARCHITECT
HLS ARCHITECTS, P.C.
 1901 RESEARCH BLVD., SUITE 110
 ROCKVILLE, MD 20850 (301)545-0032


PROVIDING THE PLAN SHOWING DIMENSIONS OF TYPICAL UNIT TYPES K, KK, EE

SCALE	DATE	BY	APP'D.	STREET NO.


A-19

EXHIBIT E


NOTES:




UNIT TYPE Q
TIER 7 AS SHOWN
TIER 27 REVERSED



UNIT TYPE Q
TIERS 10 & 31 AS SHOWN
TIER 11 & 30 REVERSED



UNIT TYPE Q
TIER 16 AS SHOWN
TIER 35 REVERSED



UNIT TYPE M
TIER 1 AS SHOWN
TIER 21 REVERSED

PROJECT NAME
CREEKSIDE
LEISURE WORLD

312 VUE SPINNA, HONOLULU CITY, HAWAII

KEY PLAN
NORTH SOUTH
REVISION

NO.	DATE	REVISION

ARCHITECT
HLS ARCHITECTS, P.C.
1400 CALIFORNIA ST, SUITE 100
ROCKVILLE, MD 20850 (301)344-0033


DRAWING TITLE
PLAN SHOWING DIMENSIONS
OF TYPICAL UNIT TYPES
M & Q

NO.	DATE	REVISION


SCALE: AS SHOWN

EXHIBIT E


NOTES:



UNIT TYPE G
TIERS 5, 8, 18, & 20 AS SHOWN
TIERS 25, 28, 37, & 39 REVERSED



UNIT TYPE C
TIER 4 AS SHOWN
TIER 24 REVERSED




UNIT TYPE B
TIERS 3 & 17 AS SHOWN
TIERS 23 & 36 REVERSED

PROJECT NAME

**CREEKSIDE
LEISURE WORLD**

SILVER SPRING, MONTGOMERY COUNTY, MARYLAND



REVISION

NO.	DESCRIPTION	DATE

ARCHITECT

HLS ARCHITECTS, P.C.
1901 RESEARCH BLVD., SUITE 110
ROCKVILLE, MD 20850 (301)545-0032

**DRAWING TITLE
PLAN SHOWING DIMENSIONS
OF TYPICAL UNIT TYPES
B, C, & G**

SCALE	DATE	DESIGN	CHECKED BY	DATE	SCALE	SHEET NO.

APP'D: _____
DATE: _____
SCALE: _____
SHEET NO.: _____
TOTAL SHEETS: _____
REVISED BY: _____
REVISED DATE: _____
REVISED SCALE: _____
REVISED SHEET NO.: _____

EXHIBIT E

Exhibit E
to the Declaration

LIMITED COMMON ELEMENT
PARKING SPACE ASSIGNMENTS
PHASE I

Automobile Parking Space Number	Appurtenant to Unit Number	Automobile Parking Space Number	Appurtenant to Unit Number